

AerPOS

15inch or 17inch High Performance POS System



FEC

AerPOS


We aim to exceed your expectations by providing high quality, reliable products with state of the art designs.

AerPOS is an elegant and powerful all-in-one system, designed to be used in the toughest retail and hospitality environments. It is a very durable and compact system that fits beautifully on any point of sale counter. The modular design features also ensures high serviceability.

Add-on Devices

All AerPOS add-on devices use a USB interface for reliability, simple installation and maintenance.

USB I/O is on the right side of the display



Features



OSD Controls: Display brightness, display power on/off (on 15inch models)



Smart Fan detects CPU temperature and adjusts fan speed automatically



Standard Colors: Black + Silver; Black + Red; White + Silver



One-step operation for quick access to hard disk or SSD



The display can be easily removed for easy maintenance



CPU module can be extracted for efficient upgrades and maintenance

Peripherals





The integrated customer display can be turned and tilted for the best viewing angle.



11.6inch second display with bracket



15inch second display (pole type)

Customer Display	11.6 inch 2nd Display	15inch 2nd Display
 • LCD w/ LCD Backlight • 25-30nits	 • Max resolution: 1366 x 768 • 200 nits	 • Max resolution: 1024 x 768 • Option of 250 / 450nits

Specifications

Model		AP-3615		AP-3617		AP-3625	
Processor		Intel® Celeron® G540, 2.5Ghz Intel® Core i3-2120, 3.3Ghz Intel® Core i5-3550S, 3.0Ghz				Intel® Celeron® B810, 1.6Ghz Intel® Core i5-2510E, 2.5Ghz (vPro)	
System Memory		2GB Standard, Maximum 8GB (1x204-pin DDR3)					
Power Supply		150W (12V / 12.5A) External Power Adaptor					
Storage Device		1 x 2.5" SATA HDD or SSD					
Chipset		Intel® H61				Intel® QM67	
Speaker		Internal Speaker 2W x 2					
Construction		Aluminum Die-casting + Plastic + Glass					
Housing Color		Black with Silver Trim; Black with Red Trim; White with Silver Trim					
Touch LCD Display							
Size / Resolution		15" TFT-LCD / 1024 X 768		17" TFT-LCD / 1280 X 1024		15" TFT-LCD / 1024 X 768	
Brightness (Backlight Type) & Touch Screen		350 cd/m ² (LED); 5-Wire Resistive Touch / Projected Capacitive Touch		250 cd/m ² (LED); 5-Wire Resistive Touch / Projected Capacitive Touch		350 cd/m ² (LED); 5-Wire Resistive Touch / Projected Capacitive Touch	
				350 cd/m ² (LED); 5-Wire Resistive Touch / Projected Capacitive Touch			
I/O Ports							
Serial Port		4 x External: COM 1, COM 2 (DB9), COM 3, COM 4 (RJ45)					
USB Port		5 x External (4 Rear + 1 Side)					
Cash Drawer Port		1 x RJ11 (12V / 24V)					
LAN Port		1 x RJ45 Gigabit LAN					
Audio Port		1 x Line Out, 1 x Mic In					
Video Port		1 x VGA					
DC Output		1 x 12V DC Jack 2.5 mm					
Optional I/O Board							
Type A		Serial Port: COMA (DB9); 12V Powered USB Port x 1; 2 x USB					
Type B		Powered USB Port: 24V x 1					
Type C		Powered USB Port: 24V x 1; 12V x 2					
OS Supported							
Windows		Windows XP, POSReady 2009, Windows 7, POSReady 7					
Dimensions & Weight							
Product		370 (W) x 360 (H) x 235 (D) mm, 7.1 Kg		410 (W) x 386 (H) x 235 (D) mm, 10 Kg		370 (W) x 360 (H) x 235 (D) mm, 7.1 Kg	
Carton		480 (W) x 460 (H) x 320 (D) mm, 9.1 Kg		560 (W) x 540 (H) x 360 (D) mm, 11 Kg		480 (W) x 460 (H) x 320 (D) mm, 9.1 Kg	